

## The Academy/A.S.P.E.N. Malnutrition Consensus Criteria: Applying Them in Your Practice

### References

1. Academy Quality Management Committee and Scope of Practice Subcommittee of Quality Management Committee. Academy of Nutrition and Dietetics: revised 2012 standards of practice in nutrition care and standards of professional performance for registered dietitians. *J Acad Nutr Diet.* 2013;113(6 Suppl):S29-S45.
2. Ben-Ishay O, Gertsenzon H, Mashiach T, Kluger Y, Chermesh I. Malnutrition in surgical wards: a plea for concern. *Gastroenterol Res Pract.* 2011;2011. doi: 10.1155/2011/840512.
3. Blackburn GL, Bistrian BR, Maini BS, Schlamm HT, Smith MF. Nutritional and metabolic assessment of the hospitalized patient. *JPEN J Parenter Enteral Nutr.* 1977;1(1):11-22.
4. Braunschweig C, Gomez S, Sheean PM. Impact of declines in nutritional status on outcomes in adult patients hospitalized for more than 7 days. *J Am Diet Assoc.* 2000;100(11):1316-1322; quiz 1323-1324.
5. Butterworth CE Jr. The skeleton in the hospital closet. *Nutr Today.* 1974;9(2):4-8.
6. Castelli GP, Pognani C, Meisner M, et al. Procalcitonin and C-reactive protein during systemic inflammatory response syndrome, sepsis and organ dysfunction. *Crit Care.* 2004;8(4):R234-R242.
7. Corkins MR, Guenter P, DiMaria-Ghalili RA, et al. Malnutrition diagnoses in hospitalized patients: United States, 2010. *JPEN J Parenter Enteral Nutr.* 2014;38(2):186-195.
8. Fayyad, M. C-Reactive protein (CRP, hs-CRP). Medical-Labs website. <http://www.medical-labs.net/c-reactive-protein-crp-hs-crp-1438/>
9. Fry DE, Pine M, Jones BL, Meimban RJ. Patient characteristics and the occurrence of never events. *Arch Surg.* 2010;145(2):148-151.
10. Giner M, Laviano A, Meguid MM, Gleason JR. In 1995 a correlation between malnutrition and poor outcome in critically ill patients still exists. *Nutrition.* 1996;12(1):23-29.
11. Hendricks KM, Duggan C, Gallagher L, et al. Malnutrition in hospitalized pediatric patients. Current prevalence. *Arch Pediatr Adolesc Med.* 1995;149(10):1118-1122.
12. Jensen GL, Hsaio PY, Wheeler D. Nutrition screening and assessment. In: Mueller CM, ed. *Adult Nutrition Support Core Curriculum.* 3<sup>rd</sup> ed. Silver Spring, MD: American Society for Parenteral Enteral Nutrition; 2012:155-169.

## The Academy/A.S.P.E.N. Malnutrition Consensus Criteria: Applying Them in Your Practice

13. Jensen GL. Inflammation as the key interface of the medical and nutrition universes: a provocative examination of the future of clinical nutrition and medicine. *JPEN J Parenter Enteral Nutr.* 2006;30(5):453-463.
14. Jensen GL, Mirtallo J, Compher C, et al. Adult starvation and disease-related malnutrition: a proposal for etiology-based diagnosis in the clinical practice setting from the International Consensus Guideline Committee. *JPEN J Parenter Enteral Nutr.* 2010;34(2):156-159.
15. Kalogeropoulos A, Georgiopoulou V, Psaty BM, et al. Inflammatory markers and incident heart failure risk in older adults: the Health ABC (Health, Aging, and Body Composition) study. *J Am Coll Cardiol.* 2010;55(19):2129-2137.
16. Keys A. Chronic undernutrition and starvation, with notes on protein deficiency. *J Am Med Assoc.* 1948;138(7):500-511.
17. Klein S, Kinney J, Jeejeebhoy K, et al. Nutrition support in clinical practice: review of published data and recommendations for future research directions. National Institutes of Health, American Society for Parenteral and Enteral Nutrition, and American Society for Clinical Nutrition. *JPEN J Parenter Enteral Nutr.* 1997;21(3):133-156.
18. Kolb-Bachofen V. A review on the biological properties of C-reactive protein. *Immunobiology.* 1991;183(1-2):133-145.
19. Kondrup J. Can food intake in hospitals be improved? *Clin Nutr.* 2001;20(Suppl 1):153-160.
20. Kondrup J, Johansen N, Plum LM, et al. Incidence of nutritional risk and causes of inadequate nutritional care in hospitals. *Clin Nutr.* 2002;21(6):461-468.
21. Mackle TJ, Touger-Decker R, O'Sullivan Maillet J, Holland BK. Registered dietitians' use of physical assessment parameters in professional practice. *J Am Diet Assoc.* 2003;103(12):1632-1638.
22. Malone A, Hamilton, C. The Academy of Nutrition and Dietetics/the American Society for Parenteral and Enteral Nutrition consensus malnutrition characteristics: application in practice. *Nutr Clin Pract.* 2013;28(6):639-650.
23. Matos LC, Tavares MM, Amaral TF. Handgrip strength as a hospital admission nutritional risk screening method. *Eur J Clin Nutr.* 2007;61(9):1128-1135.
24. McWhirter JP, Pennington CR. Incidence and recognition of malnutrition in hospital. *BMJ.* 1994;308(6934):945-948.

## The Academy/A.S.P.E.N. Malnutrition Consensus Criteria: Applying Them in Your Practice

25. National Alliance for Infusion Therapy and the American Society for Parenteral and Enteral Nutrition Public Policy Committee and Board of Directors. Disease-related malnutrition and enteral nutrition therapy: a significant problem with a cost-effective solution. *Nutr Clin Pract.* 2010;25(5):548-554.
26. Nicolo M, Compher CW, Still C, Huseini M, Dayton S, Jensen GL. Feasibility of accessing data in hospitalized patients to support diagnosis of malnutrition by the Academy-A.S.P.E.N. malnutrition consensus recommended clinical characteristics. *J PEN J Parenter Enteral Nutr.* 2014;38(8):954-959.
27. Norman K, Stobäus N, Gonzalez MC, Schulzke JD, Pirlich M. Hand grip strength: outcome predictor and marker of nutritional status. *Clin Nutr.* 2011;30(2):135-142.
28. Patel V, Romano M, Corkins MR, et al. Nutrition screening and assessment in hospitalized patients: a survey of current practice in the United States. *Nutr Clin Pract.* 2014;29(4):483-490.
29. Perioperative total parenteral nutrition in surgical patients. The Veterans Affairs Total Parenteral Nutrition Cooperative Study Group. *N Engl J Med.* 1991;325(5):525-532.
30. Rosenbaum K, Wang J, Pierson RN Jr, Kotler DP. Time-dependent variation in weight and body composition in healthy adults. *J PEN J Parenter Enteral Nutr.* 2000;24(2):52-55.
31. Sheehan PM, Peterson SJ, Chen Y, Liu D, Lateef O, Braunschweig CA. Utilizing multiple methods to classify malnutrition among elderly patients admitted to the medical and surgical intensive care units (ICU). *Clin Nutr.* 2013;32(5):752-757.
32. Sheehan PM, Peterson SJ, Gurka DP, Braunschweig CA. Nutrition assessment: the reproducibility of subjective global assessment in patients requiring mechanical ventilation. *Eur J Clin Nutr.* 2010;64(11):1358-1364.
33. Soeters PB, Reijven PL, van Bokhorst-de van der Schueren MA, et al. A rational approach to nutritional assessment. *Clin Nutr.* 2008;27(5):706-716.
34. Soeters PB, Schols AM. Advances in understanding and assessing malnutrition. *Curr Opin Clin Nutr Metab Care.* 2009;12(5):487-494.
35. Studley HO. Percentage of weight loss: basic indicator of surgical risk in patients with chronic peptic ulcer. *JAMA.* 1936;106(6):458-460.
36. Thomsen M, Ingebrigtsen TS, Marott JL, et al. Inflammatory biomarkers and exacerbations in chronic obstructive pulmonary disease. *JAMA.* 2013;309(22):2353-2361.

## **The Academy/A.S.P.E.N. Malnutrition Consensus Criteria: Applying Them in Your Practice**

37. Visser M, Lex M, Bouter G, et al., Elevated C-reactive protein levels in overweight and obese adults. **JAMA**. 1999;282(22):2131-2135.
38. Weinsier RL, Hunker EM, Krumdieck CL, Butterworth CE Jr. Hospital malnutrition. A prospective evaluation of general medical patients during the course of hospitalization. **Am J Clin Nutr**. 1979;32(2):418-426.
39. White JV, Guenter P, Jensen G, et al. Consensus statement: Academy of Nutrition and Dietetics and American Society for Parenteral and Enteral Nutrition: characteristics recommended for the identification and documentation of adult malnutrition (undernutrition). **JPEN J Parenter Enteral Nutr**. 2012;36(3):275-283.